

TOOL	PURPOSE	COMPLETED BY	LANGUAGES	<u>RATING</u>
<u><i>Ages & Stages Questionnaires® Third Edition (ASQ-3™)</i></u>	Screens and assesses the developmental performance of children in the areas of communication, gross motor skills, fine motor skills, problem solving, and personal-social skills.	Parents and caregivers	English, French, and Spanish	A (Psychometrics Well-Demonstrated)
<u><i>Ages & Stages Questionnaires®: Social-Emotional, Second Edition (ASQ®: SE-2)</i></u>	Screens young children's social-emotional development during the first 6 years of life. Includes 9 age-appropriate questionnaires that screen 7 key social-emotional areas: self-regulation, compliance, adaptive functioning, autonomy, affect, social-communication, and interaction with people.	Parents or caregivers	English, Arabic, French, Spanish, and Vietnamese	A (Psychometrics Well-Demonstrated)
<u><i>Brief Assessment Checklist for Adolescents (BAC-A)</i></u>	A 20-item caregiver-report rating scale designed to screen for clinically meaningful trauma- and attachment-related mental health difficulties experienced by adolescents in out-of-home care, and children and adolescents adopted from care.	A young person's caregiver (if in family-based care), adoptive parent, or their primary residential worker (if in residential care)	English, Dutch, German, and Spanish	A (Psychometrics Well-Demonstrated)
<u><i>Brief Assessment Checklist for Children (BAC-C)</i></u>	A 20-item caregiver-report rating scale designed to screen for clinically meaningful trauma- and attachment-related mental health difficulties experienced by children in out-of-home care, and children adopted from care.	A child's caregiver (if in family-based care), adoptive parent, or their primary residential worker (if in residential care)	English, Dutch, German, and Spanish	A (Psychometrics Well-Demonstrated)
<u><i>Family Map Inventories</i></u>	Assesses home and parenting environments & links to resources. Has a brief depression, alcohol, and other drug use screen. Has been shown to be a valid screen for Adverse Childhood Experiences (ACES) in young children.	Early Childhood professionals & caregiver of target child	English and Spanish	A (Psychometrics Well-Demonstrated)

Mental Health Tools (Cont.)

TOOL	PURPOSE	COMPLETED BY	LANGUAGES	<u>RATING</u>
<u>Modified Checklist for Autism in Toddlers (M-CHAT)</u>	A two-stage screening tool for risk for autism spectrum disorder designed to be completed by parents of children 16–30 months old.	Parent/guardian	Available in over 50 languages	A (Psychometrics Well-Demonstrated)
<u>Mood and Feelings Questionnaire (MFQ)</u>	A 33-item questionnaire based on DSM-III-R criteria for depression in children and adolescents.	Child, parent	English	A (Psychometrics Well-Demonstrated)
<u>Mood and Feelings Questionnaire–Short Form (MFQ-SF)</u>	A 13-item questionnaire based on DSM-III-R criteria for depression in children and adolescents.	Child, parent	English	A (Psychometrics Well-Demonstrated)
<u>The Mood Disorder Questionnaire (MDQ)</u>	A brief, self-rated screening tool for bipolar disorder in adults consisting of 13 yes/no items and 2 questions on co-occurrence of symptoms and level of functional impairment.	Self-report	Available in 17 languages	A (Psychometrics Well-Demonstrated)
<u>Ohio Youth Problems, Functioning, and Satisfaction Scales (Ohio Scales)</u>	Instruments developed to measure outcomes for youth ages 5 to 18 who receive mental health services. The Short Forms of the Ohio Scales consist of 4 domains: the 20-item Functioning Scale, the 4-item Hopefulness Scale, the 4-item Satisfaction Scale, the 20-item Problem Severity Scale, and the Restrictiveness of Living Scale for agency workers.	Three separate forms for caregiver, youth, and agency worker.	English, Chinese, Japanese, Korean, Russian, and Spanish	A (Psychometrics Well-Demonstrated)

Mental Health Tools (Cont.)

TOOL	PURPOSE	COMPLETED BY	LANGUAGES	<u>RATING</u>
<u>Patient Health Questionnaire – 9 (PHQ-9)</u>	A 9-item depression screening scale to assist primary care clinicians in diagnosing depression and selecting/monitoring treatment.	Patients in a primary care setting	Nearly 80 different languages	A (Psychometrics Well-Demonstrated)
<u>Pediatric Symptom Checklist-17 (PSC-17)</u>	A 17-item screening questionnaire used to screen for childhood emotional and behavioral problems including those of attention, externalizing, and internalizing.	Parents	English, Chinese, and Spanish	A (Psychometrics Well-Demonstrated)
<u>Pediatric Symptom Checklist-35 (PSC-35)</u>	A 35-item parent completed questionnaire to assess overall psychosocial functioning and to screen for problems overall in the areas of attention, externalizing, and internalizing problems.	Parents, youth	Available in 16 languages	A (Psychometrics Well-Demonstrated)
<u>Screen for Childhood Anxiety Related Emotional Disorders (SCARED)</u>	A child and parent self-report instrument consisting of 41 items and 5 factors used to screen for childhood anxiety disorders including general anxiety disorder, separation anxiety disorder, panic disorder, and social phobia.	Parent version – parents about their children; Child version – children about themselves	Available in 9 languages	A (Psychometrics Well-Demonstrated)
<u>Strengths and Difficulties Questionnaire (SDQ)</u>	A mental health screening tool for use with children and adolescents from 2-17 years old. It exists in several versions to meet the needs of researchers, clinicians and educationalists.	Parents and teachers. There is also a self-report version for 11-17 year olds	Available in over 40 languages	A (Psychometrics Well-Demonstrated)
<u>Suicide Behaviors Questionnaire – Revised (SBQ-R)</u>	A 4-item psychological self-report questionnaire designed to identify risk factors for suicide in adolescents and adults.	Self-report	English	A (Psychometrics Well-Demonstrated)

Mental Health Tools (Cont.)

TOOL	PURPOSE	COMPLETED BY	LANGUAGES	<u>RATING</u>
<u>The Treatment Outcome Package (TOP) – Adolescent</u>	A 58-item comprehensive well-being scale that assesses 12 domains including Depression, Psychosis, Sleep Problems, Violence, and Suicidality.	Self and/or raters who know the client well (e.g., clinician, relative, social worker)	English and Spanish	A (Psychometrics Well-Demonstrated)
<u>The Treatment Outcome Package (TOP) – Adult</u>	A 58-item comprehensive well-being scale that assesses 12 domains such as Life Quality, Sexual Functioning Issues, and Work Functioning.	Self and/or raters who know the client well	Available in 9 languages	A (Psychometrics Well-Demonstrated)
<u>The Treatment Outcome Package (TOP) – Child</u>	A 48-item comprehensive well-being assessment that assesses 13 domains such as Eating Issues, Incontinence, and Lack of Resiliency.	Self and/or raters who know the client well (e.g., clinician, relative, social worker)	English and Spanish	A (Psychometrics Well-Demonstrated)
<u>Youth Outcomes Questionnaire (Y-OQ-2.0)</u>	A 64-item report that measures treatment progress for children and adolescents (ages 4–17 years old) receiving mental health intervention.	Parent, guardian, or caregiver	Available in over 15 languages	A (Psychometrics Well-Demonstrated)
<u>Modified Checklist for Autism in Toddlers, Revised, with Follow-Up (M-CHAT-R/F)</u>	A two-stage tool that screens for risk for autism spectrum disorder. Designed to be completed by parents of children 16–30 months old.	Parent/guardian	English	B (Psychometrics Demonstrated)

The CEBC is operated by Rady Children’s Hospital San Diego (RCHSD): Chadwick Center for Children & Families. The CEBC is made possible with funding from the California Department of Social Services (CDSS), Office of Child Abuse Prevention. Any opinions, findings, conclusions and/or recommendations expressed are those of the CEBC and do not necessarily reflect the views of the CDSS or RCHSD.